

## HSC Room Capacity Seating (Based on Fire Code)

| Room | Sq Ft | Fixed Seats | Loose Seats | Total Seats | Total Ppl Allowed |
|------|-------|-------------|-------------|-------------|-------------------|
| 0018 | 574   | 0           | 18          | 18          | 28                |
| 0096 | 900   | 0           | 40          | 40          | 45                |
| 2002 | 980   | 28          | 1           | 29          | 49                |
| 2006 | 1811  | 78          | 3           | 81          | 90                |
| 2010 | 604   | 0           | 28          | 28          | 30                |
| 2012 | 875   | 44          | 2           | 46          | 51                |
| 2014 | 645   | 0           | 28          | 28          | 32                |
| 2015 | 727   | 28          | 2           | 30          | 36                |
| 2016 | 845   | 44          | 2           | 46          | 51                |
| 2017 | 555   | 0           | 27          | 27          | 27                |
| 2019 | 862   | 47          | 2           | 49          | 56                |
| 2030 | 1087  | 0           | 40          | 40          | 54                |
| 2064 | 834   | 0           | 40          | 40          | 41                |
| 2065 | 655   | 0           | 28          | 28          | 32                |
| 2066 | 843   | 0           | 40          | 40          | 42                |
| 2067 | 656   | 0           | 28          | 28          | 32                |
| 4024 | 632   | 0           | 22          | 22          | 31                |

Fixed Seats: Seats in tiered rooms – non-moveable

Loose Seats: Moveable chairs

Total: Max capacity allowed per fire code (20 square feet per person)\*

Note: It may not be comfortable seating the total number of individuals allowed.